


OCTANORM
SHOWCASE
SOLUTIONS.



exhibition systems
interior design systems
presentation systems



SHOWCASE SOLUTIONS.




THE
WORLD
OF
SYSTEMS



OCTANORM
NORDIC







Doors for smaller showcases

Doors for larger showcases


Hinge and lock solutions

Transparenta showcases

Presentation showcases

Wall and counter showcases


DOORS FOR
SMALLER SHOWCASES.






With glass doors smaller than 500mm in width the E400 and E401 track is a simple and affordable solution for a stylish showcase.

The door handle extrusion can double as an extra security, preventing the door to be removed.

A TFT 91 lock requires no tooling of the glass doors.



In the picture, E295N is used.





E 400 UPPER TRACK IN PLASTIC	X
E 401 VERTICAL TRACK IN PLASTIC	Y-18
E 401 LOWER TRACK IN PLASTIC	X
E 410AL ALUMINUM DOOR HANDLE EXTRUSION	Y - 24
3-4MM MDF OR GLASS PANEL	(X/2)-10+15 Y-7

X = WIDTH OF CLEAR OPENING
Y = HEIGHT OF CLEAR OPENING

An aluminum showcase with a hinged door offers effective display of products. With its clear, estetical and lockable door front, this showcase is both secure as well as elegant.

Choose the hinge in parity with the height of the showcase.

Several lock solutions are available.



E 430 UPPER DOOR TRACK	X CUT 45° L/R
E 430 VERTICAL DOOR TRACK	X CUT 45° R/L
E 430 RIGHT/LEFT VERTICAL TRACK	Y CUT 45°
E 430 RIGHT/LEFT VERTICAL TRACK	Y-81
6 MM GLASS WITH DRILLED HOLE Ø15.5MM CC 33MM FROM EDGE, FOR LOCK E 292	X-9 Y-10

X = WIDTH OF CLEAR OPENING
Y = HEIGHT OF CLEAR OPENING




SLIDING DOORS FOR
LARGER SHOWCASES.



An aluminum showcase can have a timeless design and look, as aluminum can be anodized or powder coated.

The E 489 is a new profile which makes it impossible to dislocate the sliding doors, thus making it safer exhibiting valuables.

Two lock solutions are available.



E 470N UPPER SLIDING DOOR TRACK	X
E 470N VERTICAL SLIDING DOOR TRACK	Y-14
E 472 RUNNER FRAME PROFILE	(X/2)+8
E 489 RUNNER PROFILE	X-27
6MM GLASS x2	(X/2)+6 Y-33

X = WIDTH OF CLEAR OPENING
Y = HEIGHT OF CLEAR OPENING


The same large sliding door experience as the aluminum one, but with an ABS sliding door track, which makes it more economical since it removes the need of several components.

The vertical E 488 is tooled to perfectly fit the runner frame.

Several lock solutions are available.



E 488 ABS SLIDING DOOR TRACK PROFILE




















[CLOSE UP OF CUTOUT FOR E472]
















E 488 UPPER SLIDING DOOR TRACK	X
E 488 VERTICAL SLIDING DOOR TRACK	Y-16
E 472 RUNNER FRAME PROFILE	$(X/2)+8$
E 489 RUNNER PROFILE	X-32
6MM GLASS x2	$(X/2)+6$ Y-33

X = WIDTH OF CLEAR OPENING
Y = HEIGHT OF CLEAR OPENING



	HINGE PLATE For hinged glass and wooden doors 5, 6, 8, 16 and 19 mm.	E 290	
	HINGE PLATE For hinged glass and wooden doors 5, 6, 8, 16 and 19 mm.	E 290D	
	GLASS DOOR HINGE No drill hole in glass panel is necessary! for glass doors 5 – 6 mm. 1 pair	E 297	
	GLASS DOOR HINGE Use as middle, left or right hand side. Drill hole 12 mm dia. in glass panel is necessary! For glass doors 5 – 6 mm.	E 297M	
	GLASS DOOR HINGE No drill hole in glass panel is necessary! For hinged glass doors 4 – 6 mm. 1 pair	M 1637	
	GLASS DOOR HINGE No drill hole in glass panel is necessary! For hinged glass doors 4 – 5.5 mm. 1 pair	V 2225	
	HINGE PLATE For hinged wooden doors 16 mm.	E 296L E 296R	
	HINGE PLATE Hinge plate can only be mounted on the right side of the door leaf. For mounting to system groove 4.3mm for doors DIN left.	E 300	

	<p>HINGED BOLT LOCK</p> <p>E 291</p> <p>Key can only be removed when locked. For hinged wooden doors 16 and 19 mm.</p>	
	<p>HINGED BOLT LOCK</p> <p>E 292</p> <p>Key can only be removed when locked. For hinged glass doors 5 – 8 mm.</p>	
	<p>SLIDING DOOR LOCK</p> <p>E 295N</p> <p>Key can be removed when locked or unlocked. For 4 – 6 mm panels.</p>	
	<p>GLASS DOOR LOCK</p> <p>E 298L E 298R</p> <p>No drill hole in glass panel is necessary cut glass panel corner 27 x 45°. For hinged glass doors 5 – 6 mm.</p>	
	<p>GLASS DOOR LOCK</p> <p>E 478</p> <p>No drill hole in glass panel is necessary! For hinged glass doors 4 – 6 mm 1 pair</p>	
	<p>LOCKING END PIECE</p> <p>E 484</p> <p>For mounting in extrusion E 472, especially for glass sliding doors with double locking at the top and bottom or as an alternative to E 478 with single locking.</p>	
	<p>SLIDING DOOR LOCK</p> <p>TST 91</p> <p>For 1 sliding door .</p>	
	<p>GLASS DOOR LOCK</p> <p>V 2226</p> <p>Requires drilling, incl. 2 keys. For hinged glass doors 4 – 6 mm.</p>	

TRANSPARENTA

Transparenta is the master of display. Its five basic showcase shapes are designed to be used together in any required combination. With almost limitless variations, the system challenges the designer to create something unique and unusual for the secure storage and presentation of valuable merchandise. In addition, Transparenta enables glass panels and partitions to be constructed in a wide variety of designs for both exhibition and retail applications. Made from tempered glass, Transparenta has a unique method of construction and can be quickly assembled without the need for special tools.



T-1-800, T-1-1500 & T-5-1930



Clear lines




The awarded system




Illumination: 3x20W/12V


BASIC MODULES:




rectangular




T-1-1930
5 shelves,
with lighting




T-1-1850
5 shelves,
w/o* lighting




T-1-1500
4 shelves,
w/o* lighting




T-1-800
2 shelves,
w/o* lighting




trapezoidal




T-2-1930
5 shelves
with lighting




T-2-1850
5 shelves,
w/o* lighting




T-2-1500
4 shelves,
w/o* lighting




T-2-800
2 shelves,
w/o* lighting




rectangular



T-3-1930
5 shelves,
with lighting




T-3-1850
5 shelves,
w/o* lighting




T-3-1500
4 shelves,
w/o* lighting




T-3-800
2 shelves,
w/o* lighting




pentagonal




T-4-1930
5 shelves,
with lighting




T-4-1850
5 shelves,
w/o* lighting




T-4-1500
4 shelves,
w/o* lighting




T-4-800
2 shelves,
w/o* lighting




square




T-5-1930
5 shelves,
with lighting



T-5-1850
5 shelves,
w/o* lighting



T-5-1500
4 shelves,
w/o* lighting



T-5-800
2 shelves,
w/o* lighting

ACCESSORIES:

TST 91-5	Set of sliding door locks for 5 shelves
TST 91-4	Set of sliding door locks for 4 shelves
TST 91-2	Set of sliding door locks for 2 shelves
TST 91	Individual sliding door lock

TECHNICAL INFORMATION:


Side panels:	tempered safety glass, 4 mm
Shelf panels:	base shelf – wood panel, white, 6 mm, more – tempered safety glass, 4 mm
Plinth and lighting frame:	steel, powder-coated, light grey
Lighting:	3 flush integral spotlights, 12V/20W each with transformer, ready for installation

* Showcases without lighting have no top part and are covered with a glass panel.



PV-80 & PV-40

BASIC MODULES:




Outside dimensions (all four models) – W 425 x H 1810 x D 425 mm

TECHNICAL INFORMATION:

The showcase with up to 8 shelves provides plenty of space for your exhibits.

Glass:	4 mm thick tempered safety glass
Shelves:	4 to 8 shelves offering a large presentation area
Doors:	hinged doors for easy insertion and decoration
Lighting:	2 x 20W / 12V spotlight, incl. cable and transformer
Profiles:	aluminium, silver anodized
Base:	steel, RAL 9006 powdercoated
Packaging:	packaging to prevent breakage of glass
Assembly:	simple slot-in assembly
Design:	traditional square form, timeless elegance

BASIC MODULES:



DV 60
Designed vitrine
w/o light

DV 60B
Designed vitrine
With light
230V / 20W

TECHNICAL INFORMATION:

- Aluminium, matt anodized
- Sheet steel powder-coated RAL 9006
- Lockable hinged door
- Adjustable feet
- 4 Glass shelves, 4mm / tempered glass
- Max. Distributed dead load 22.05lbs per shelf
- 1 Built-in low voltage halogen spot 12V/20W with
- Fully assembled



DV 60B

SQUARE

With their clean lines and quick and easy assembly, Designer Showcases have many applications wherever products need to be attractively displayed. Components include a black base, silver anodized aluminium profiles, and tempered glass sides and shelves. Counters have black painted wood tops and showcases have silver painted wood tops. Internal lighting is optional.



DV30B




Optional lighting




DV10B & DV50B

BASIC MODULES:




DV 10
Sideboard
silver cover panel

DV 10B
Sideboard
silver cover panel
spotlights 20 W / 12 V



DV 30
Counter
black counter panel

DV 30B
Counter
black counter panel
2 spotlights 20 W / 12 V



DV 50
Glass showcase
silver cover panel

DV 50B
Glass showcase
silver cover panel
2 spotlights 20 W / 12 V

SQUARE AND QUARTER-ROUND PROFILE

Designed for the secure and effective display of products or collections, these elegant wall and counter showcases are offered in a choice of tower format with hinged door or landscape format with sliding doors. All have tempered glass side panels and adjustable shelves and are supplied with lockable sliding or hinged doors. Showcases TM-Set 10 to 41 have magnetic back panels and are supplied complete with eight white magnets to enable price or product information to be displayed.



TM-Set 31



TM-Set 90




TM-Set 91




TM-Set 65

BASIC MODULES – QUARTER-ROUND PROFILE:




TM-Set 20

Wall showcase with sliding door
1 white wood base shelf
2 glass shelves 6 mm
silver anodized profile




TM-Set 30

Wall showcase with sliding door
1 white wood base shelf
2 glass shelves 6 mm
polished chrome-plated profile




TM-Set 40

Wall showcase with sliding door
1 white wood base shelf
2 glass shelves 6 mm
black anodized profile




TM-Set 21

Wall showcase with hinged door
1 white wood base shelf
3 glass shelves 6 mm
silver anodized profile



TM-Set 31


Wall showcase with hinged door
1 white wood base shelf
3 glass shelves 6 mm
polished chrome-plated profile



TM-Set 41


Wall showcase with hinged door
1 white wood base shelf
3 glass shelves 6 mm
black anodized profile

BASIC MODULES – SQUARE PROFILE:




TM-Set 10

Wall showcase with sliding door
1 white wood base shelf
2 glass shelves 6 mm
white profile RAL 9010
powder-coated




TM-Set 11

Wall showcase with hinged door
1 white wood base shelf
3 glass shelves 6 mm
white profile RAL 9010
powder-coated




TM-Set 65

Counter showcase
with hinged door
1 white wood base shelf
2 glass shelves 4 mm
silver anodized profile



TM-Set 90

Wall showcase with sliding door
horizontal base and cover plate
wood 22 mm grey
2 glass shelves 4 mm
silver anodized profile



TM-Set 91

Wall showcase with hinged door
horizontal base and cover plate
wood 22 mm grey
3 glass shelves 4 mm
silver anodized profile

.FUNCTION
& FORM - THAT'S
OCTANORM.

exhibition systems
interior design systems
presentation systems
cleanroom systems
software and service

octanorm showcase solutions 2010-09_octanorm_nordic

THE
WORLD
OF
SYSTEMS

OCTANORM
NORDIC 